

**SECTION 1: IDENTIFICATION**

**1.1. Product Identifier**

**Product Form:** Mixture

**Product Name:** Urinalysis Proficiency Cap Formula 1, 4, 8

**1.2. Intended Use of the Product**

**Use of the Substance/Mixture:** No use is specified.

**1.3. Name, Address, and Telephone of Manufacturer/Supplier**

Kova International, Inc.

7272 Chapman Avenue, Suite B

Garden Grove, CA 92841

Tel: 1-714-902-1700

Fax: 1-714-908-7945

Business hours: (8:00 a.m. - 5:00 p.m., PST, Monday - Friday)

**1.4. Emergency Telephone Number**

**Emergency Number** : Contact your local Poison Center.

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the Substance or Mixture**

**GHS-US Classification**

Not classified

**2.2. Label Elements**

**GHS-US Labeling**

No labeling applicable

**2.3. Other Hazards**

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

**2.4. Unknown Acute Toxicity (GHS-US)**

No data available

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1. Substance**

Not applicable

**3.2. Mixture**

Name	Product Identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	96.9282 - 97.294875	Not classified
Sodium chloride	(CAS No) 7647-14-5	2	Not classified
Sodium phosphate dibasic	(CAS No) 7558-79-4	0.4	Not classified
Sodium tetraborate decahydrate**	(CAS No) 1303-96-4	0.2 - 0.381	Eye Irrit. 2A, H319 Repr. 1B, H360 Aquatic Acute 3, H402
Phosphoric acid, potassium salt (1:1)	(CAS No) 7778-77-0	0.2	Not classified
Sodium hydroxide*	(CAS No) 1310-73-2	< 0.1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Hydrochloric acid*	(CAS No) 7647-01-0	< 0.1	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401
C.I. Acid Yellow 23	(CAS No) 1934-21-0	0.005	Comb. Dust Resp. Sens. 1, H334 Skin Sens. 1, H317
Monopotassium carbonate	(CAS No) 298-14-6	<= 0.0001	Not classified
Potassium ferricyanide	(CAS No) 13746-66-2	<= 0.00002	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Potassium cyanide	(CAS No) 151-50-8	<= 0.000005	Met. Corr. 1, H290 Acute Tox. 1 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 1 (Inhalation:gas), H330 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
-------------------	-------------------	-------------	--

Full text of H-phrases: see section 16

\*Added to adjust pH, as necessary.

\*\*At >=8.5% w/w this substance warrants the mixture to be classified as Repro. 1B; the overall mixture is not classified as Repro. 1B, due to its concentration falling below cut-off.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Rinse cautiously with water for several minutes. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

**First-aid Measures After Ingestion:** Rinse mouth. Do not induce vomiting. Call a poison center, doctor, or physician if you feel unwell.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**Symptoms/Injuries:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None known.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapors from decomposition.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Thermal decomposition generates: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Sodium oxides. Oxides of boron. Phosphorus oxides. Potassium oxides. Hydrogen chloride.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

## 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

## 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

## 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Do not handle until all safety precautions have been read and understood. Handle in a manner to prevent any potential exposure. Follow appropriate administrative policies and procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, and spray.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Products:** Strong acids, strong bases, strong oxidizers. Alkalis. Reducing agents. Water reactive materials.

### 7.3. Specific End Use(s)

No use is specified.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

<b>Sodium tetraborate decahydrate (1303-96-4)</b>		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (inhalable particulate matter)
USA ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup> (inhalable particulate matter)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
<b>Potassium cyanide (151-50-8)</b>		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (ppm)	4.7 ppm
USA IDLH	US IDLH (mg/m <sup>3</sup> )	25 mg/m <sup>3</sup>
<b>Sodium hydroxide (1310-73-2)</b>		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Hydrochloric acid (7647-01-0)</b>		
USA ACGIH	ACGIH Ceiling (ppm)	2 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	7 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (ppm)	5 ppm
USA IDLH	US IDLH (ppm)	50 ppm
USA OSHA	OSHA PEL (Ceiling) (mg/m <sup>3</sup> )	7 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (Ceiling) (ppm)	5 ppm

## 8.2. Exposure Controls

### Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

### Personal Protective Equipment

: Not generally required. The use of personal protective equipment may be necessary as conditions warrant. Gloves. Protective clothing. Protective goggles.



### Materials for Protective Clothing

: Chemically resistant materials and fabrics.

### Hand Protection

: Wear protective gloves.

### Eye Protection

: Chemical safety goggles.

### Skin and Body Protection

: Wear suitable protective clothing. In laboratory, medical or industrial settings, impervious disposable gloves and protective clothing are recommended if skin contact with product is possible.

### Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

### Environmental Exposure Controls

: Avoid release to the environment.

### Other Information

: When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

### 9.2. Other Information: No additional information available

## SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Reducing agents. Alkalis. Water reactive materials.
- 10.6. Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects

**Acute Toxicity:** Not classified

**Sodium phosphate dibasic (7558-79-4)**

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 Oral Rat	17 g/kg
LD50 Dermal Rat	> 5000 mg/kg (50% solution)
<b>Sodium tetraborate decahydrate (1303-96-4)</b>	
LD50 Oral Rat	3493 mg/kg
LD50 Dermal Rabbit	> 10000 mg/kg
<b>Sodium chloride (7647-14-5)</b>	
LD50 Oral Rat	3 g/kg
LC50 Inhalation Rat	> 42 g/m <sup>3</sup> (Exposure time: 1 h)
<b>Monopotassium carbonate (298-14-6)</b>	
LD50 Oral Rat	> 2000 mg/kg bw/day
LD50 Dermal Rabbit	> 2000 mg/kg bw/day
<b>Potassium cyanide (151-50-8)</b>	
LD50 Oral Rat	7.49 mg/kg
LD50 Dermal Rabbit	22.3 mg/kg
LC50 Inhalation Rat	0.16 mg/l (Exposure time: 1 h)
LC50 Inhalation Rat	63 (52 - 79) ppm/1h
ATE (Oral)	0.50 mg/kg body weight
ATE (Gases)	31.50 ppmV/4h
ATE (Dust/Mist)	0.16 mg/l/4h
<b>C.I. Acid Yellow 23 (1934-21-0)</b>	
LD50 Oral Rat	12750 mg/kg
<b>Sodium hydroxide (1310-73-2)</b>	
LD50 Dermal Rabbit	1350 mg/kg
<b>Hydrochloric acid (7647-01-0)</b>	
LD50 Dermal Rabbit	> 5010 mg/kg

**Skin Corrosion/Irritation:** Not classified

**Serious Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

<b>Hydrochloric acid (7647-01-0)</b>	
IARC group	3

**Reproductive Toxicity:** Not classified.

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General** : Not classified.

<b>Sodium chloride (7647-14-5)</b>	
LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
<b>Potassium cyanide (151-50-8)</b>	
LC50 Fish 1	0.04 - 0.046 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
EC50 Daphnia 1	0.113 mg/l

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LC50 Fish 2	0.044 - 0.084 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
<b>C.I. Acid Yellow 23 (1934-21-0)</b>	
EC50 Daphnia 1	5706 mg/l
<b>Sodium hydroxide (1310-73-2)</b>	
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	40 mg/l
<b>Hydrochloric acid (7647-01-0)</b>	
LC50 Fish 1	7.45 mg/l (Species: Oncorhynchus mykiss - Exposure time: 96h)

## 12.2. Persistence and Degradability

### Urinalysis Proficiency Cap Formula 1, 4, 8

Persistence and Degradability Not established.

## 12.3. Bioaccumulative Potential

### Urinalysis Proficiency Cap Formula 1, 4, 8

Bioaccumulative Potential Not established.

## Sodium chloride (7647-14-5)

BCF Fish 1 (no bioaccumulation)

12.4. Mobility in Soil: No additional information available

## 12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

#### Phosphoric acid, potassium salt (1:1) (7778-77-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Sodium phosphate dibasic (7558-79-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CERCLA RQ 5000 lb

#### Sodium tetraborate decahydrate (1303-96-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Sodium chloride (7647-14-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Monopotassium carbonate (298-14-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Potassium ferricyanide (13746-66-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Potassium cyanide (151-50-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the United States SARA Section 302

CERCLA RQ 10 lb

SARA Section 302 Threshold Planning Quantity (TPQ) 100 lb (This material is a reactive solid. The TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form)

#### C.I. Acid Yellow 23 (1934-21-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Sodium hydroxide (1310-73-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>CERCLA RQ</b>	1000 lb
<b>Hydrochloric acid (7647-01-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on the United States SARA Section 302	
Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	5000 lb
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	500 lb (gas only)
<b>SARA Section 313 - Emission Reporting</b>	1.0 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

## 15.2. US State Regulations

<b>Sodium phosphate dibasic (7558-79-4)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Sodium tetraborate decahydrate (1303-96-4)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Potassium cyanide (151-50-8)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Sodium hydroxide (1310-73-2)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Hydrochloric acid (7647-01-0)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

<b>Revision Date</b>	: 02/17/2017
<b>Other Information</b>	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

### GHS Full Text Phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1
Acute Tox. 1 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral) Category 1
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Met. Corr. 1	Corrosive to metals Category 1
Repr. 1B	Reproductive toxicity Category 1B
Resp. Sens. 1	Respiratory sensitisation Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
Skin Sens. 1B	Skin sensitization Category 1B
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H290	May be corrosive to metals
H300	Fatal if swallowed
H310	Fatal in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H360	May damage fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)



## SECTION 1: IDENTIFICATION

### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** Urinalysis Proficiency Cap Formula 2, 7

### 1.2. Intended Use of the Product

**Use of the Substance/Mixture:** No use is specified.

### 1.3. Name, Address, and Telephone of Manufacturer/Supplier

Kova International, Inc.  
7272 Chapman Avenue, Suite B  
Garden Grove, CA 92841  
Tel: 1-714-902-1700  
Fax: 1-714-908-7945  
Business hours: (8:00 a.m. - 5:00 p.m., PST, Monday - Friday)

### 1.4. Emergency Telephone Number

**Emergency Number** : Contact your local Poison Center.

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

#### GHS-US Classification

Aquatic Acute 3 H402

Full text of hazard classes and H-statements : see section 16

### 2.2. Label Elements

#### GHS-US Labeling

**Hazard Statements (GHS-US)** : H402 - Harmful to aquatic life.

**Precautionary Statements (GHS-US)** : P273 - Avoid release to the environment.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product Identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	97.148075 - 97.498075	Not classified
Glucose	(CAS No) 50-99-7	1.45 - 1.6	Comb. Dust
Sodium phosphate dibasic	(CAS No) 7558-79-4	0.4	Not classified
Sodium tetraborate decahydrate**	(CAS No) 1303-96-4	0.381	Eye Irrit. 2A, H319 Repr. 1B, H360 Aquatic Acute 3, H402
Sodium hydroxide*	(CAS No) 1310-73-2	< 0.1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Hydrochloric acid*	(CAS No) 7647-01-0	< 0.1	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401
Sodium azide	(CAS No) 26628-22-8	0.095	Acute Tox. 2 (Oral), H300 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Gonadotropin, chorionic	(CAS No) 9002-61-3	0.06	Repr. 2, H361

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Albumins, human	(CAS No) 70024-90-7	0.05	Comb. Dust
5-Bromo-5-nitro-1,3-dioxane	(CAS No) 30007-47-7	0.03	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Acute 3, H402 Aquatic Chronic 1, H410
Phosphoric acid, potassium salt (1:1)	(CAS No) 7778-77-0	0.02	Not classified
Sodium nitrite	(CAS No) 7632-00-0	0.005	Ox. Sol. 2, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2A, H319 Aquatic Acute 1, H400
C.I. Acid Yellow 23	(CAS No) 1934-21-0	0.005	Comb. Dust Resp. Sens. 1, H334 Skin Sens. 1, H317
1H-Pyrrole	(CAS No) 109-97-7	0.005	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318
Hemoglobins	(CAS No) 9008-02-0	0.0008	Comb. Dust
Monopotassium carbonate	(CAS No) 298-14-6	0.0001	Not classified
Potassium ferricyanide	(CAS No) 13746-66-2	0.00002	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Potassium cyanide	(CAS No) 151-50-8	0.000005	Met. Corr. 1, H290 Acute Tox. 1 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 1 (Inhalation:gas), H330 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

\*Added to adjust pH, as necessary.

\*\*At >=8.5% w/w this substance warrants the mixture to be classified as Repro. 1B; the overall mixture is not classified as Repro. 1B, due to its concentration falling below cut-off.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Rinse cautiously with water for several minutes. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

**First-aid Measures After Ingestion:** Rinse mouth. Do not induce vomiting. Call a poison center, doctor, or physician if you feel unwell.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**Symptoms/Injuries:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None known.

**4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed**

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

**SECTION 5: FIRE-FIGHTING MEASURES****5.1. Extinguishing Media**

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

**5.2. Special Hazards Arising From the Substance or Mixture**

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions. In the presence of metals, metal salts, or heavy metals, this product may form small amounts of explosive metal-azide compounds.

**5.3. Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapors from decomposition.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Thermal decomposition generates: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Sodium oxides. Oxides of boron. Phosphorus oxides. Potassium oxides. Hydrogen chloride. Azide compounds.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal Precautions, Protective Equipment and Emergency Procedures**

**General Measures:** Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

**6.1.1. For Non-Emergency Personnel**

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

**6.1.2. For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

**6.2. Environmental Precautions**

Prevent entry to sewers and public waters.

**6.3. Methods and Materials for Containment and Cleaning Up**

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

**6.4. Reference to Other Sections**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

**SECTION 7: HANDLING AND STORAGE****7.1. Precautions for Safe Handling**

**Precautions for Safe Handling:** Do not handle until all safety precautions have been read and understood. Handle in a manner to prevent any potential exposure. Follow appropriate administrative policies and procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, and spray.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

**7.2. Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Products:** Strong acids, strong bases, strong oxidizers. Reducing agents. Alkalis. Halogens. Metal salts. Heavy metals. Water reactive materials.

**7.3. Specific End Use(s)**

No use is specified.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Sodium tetraborate decahydrate (1303-96-4)</b>		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (inhalable particulate matter)
USA ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup> (inhalable particulate matter)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
<b>Potassium cyanide (151-50-8)</b>		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (ppm)	4.7 ppm
USA IDLH	US IDLH (mg/m <sup>3</sup> )	25 mg/m <sup>3</sup>
<b>Sodium hydroxide (1310-73-2)</b>		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Hydrochloric acid (7647-01-0)</b>		
USA ACGIH	ACGIH Ceiling (ppm)	2 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	7 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (ppm)	5 ppm
USA IDLH	US IDLH (ppm)	50 ppm
USA OSHA	OSHA PEL (Ceiling) (mg/m <sup>3</sup> )	7 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (Ceiling) (ppm)	5 ppm
<b>Sodium azide (26628-22-8)</b>		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
USA ACGIH	ACGIH Ceiling (ppm)	0.11 ppm (vapor)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (ppm)	0.1 ppm

## 8.2. Exposure Controls

### Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

### Personal Protective Equipment

: Not generally required. The use of personal protective equipment may be necessary as conditions warrant. Gloves. Protective clothing. Protective goggles.



### Materials for Protective Clothing

: Chemically resistant materials and fabrics.

### Hand Protection

: Wear protective gloves.

### Eye Protection

: Chemical safety goggles.

### Skin and Body Protection

: Wear suitable protective clothing. In laboratory, medical or industrial settings, impervious disposable gloves and protective clothing are recommended if skin contact with product is possible.

### Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

### Environmental Exposure Controls

: Avoid release to the environment.

### Other Information

: When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

#### Physical State

: Liquid

#### Appearance

: No data available

Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

**9.2. Other Information:** No additional information available

## SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions. In the presence of metals, metal salts, or heavy metals, this product may form small amounts of explosive metal-azide compounds.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Reducing agents. Alkalis. Halogens. Metal salts. Heavy metals. Water reactive materials.
- 10.6. Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects

**Acute Toxicity:** Not classified

<b>Sodium phosphate dibasic (7558-79-4)</b>	
LD50 Oral Rat	17 g/kg
LD50 Dermal Rat	> 5000 mg/kg (50% solution)
<b>Sodium tetraborate decahydrate (1303-96-4)</b>	
LD50 Oral Rat	3493 mg/kg
LD50 Dermal Rabbit	> 10000 mg/kg
<b>5-Bromo-5-nitro-1,3-dioxane (30007-47-7)</b>	
LD50 Oral Rat	455 mg/kg
<b>Monopotassium carbonate (298-14-6)</b>	
LD50 Oral Rat	> 2000 mg/kg bw/day
LD50 Dermal Rabbit	> 2000 mg/kg bw/day
<b>Potassium cyanide (151-50-8)</b>	
LD50 Oral Rat	7.49 mg/kg
LD50 Dermal Rabbit	22.3 mg/kg
LC50 Inhalation Rat	0.16 mg/l (Exposure time: 1 h)
LC50 Inhalation Rat	63 (52 - 79) ppm/1h
ATE (Oral)	0.50 mg/kg body weight
ATE (Gases)	31.50 ppmV/4h
ATE (Dust/Mist)	0.16 mg/l/4h
<b>Sodium nitrite (7632-00-0)</b>	
LD50 Oral Rat	85 mg/kg
LC50 Inhalation Rat	5.5 mg/l/4h
<b>1H-Pyrrole (109-97-7)</b>	
ATE (Oral)	100.00 mg/kg body weight

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ATE (Dust/Mist)	1.50 mg/l/4h
<b>C.I. Acid Yellow 23 (1934-21-0)</b>	
LD50 Oral Rat	12750 mg/kg
<b>Sodium hydroxide (1310-73-2)</b>	
LD50 Dermal Rabbit	1350 mg/kg
<b>Hydrochloric acid (7647-01-0)</b>	
LD50 Dermal Rabbit	> 5010 mg/kg
<b>Sodium azide (26628-22-8)</b>	
LD50 Oral Rat	27 mg/kg
<b>Glucose (50-99-7)</b>	
LD50 Oral Rat	25800 mg/kg

**Skin Corrosion/Irritation:** Not classified

**Serious Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

<b>Hydrochloric acid (7647-01-0)</b>	
IARC group	3

**Reproductive Toxicity:** Not classified.

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General** : Harmful to aquatic life.

<b>5-Bromo-5-nitro-1,3-dioxane (30007-47-7)</b>	
LC50 Fish 1	37.5 mg/l 96 hr - <i>Lepomis macrochirus</i> (Bluegill sunfish)
<b>Potassium cyanide (151-50-8)</b>	
LC50 Fish 1	0.04 - 0.046 mg/l (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> [flow-through])
EC50 Daphnia 1	0.113 mg/l
LC50 Fish 2	0.044 - 0.084 mg/l (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> [static])
<b>Sodium nitrite (7632-00-0)</b>	
LC50 Fish 1	0.19 mg/l (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> [flow-through])
LC50 Fish 2	0.092 - 0.13 mg/l (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> [flow-through])
<b>1H-Pyrrole (109-97-7)</b>	
LC50 Fish 1	197 - 224 mg/l (Exposure time: 96 h - Species: <i>Pimephales promelas</i> [flow-through])
<b>C.I. Acid Yellow 23 (1934-21-0)</b>	
EC50 Daphnia 1	5706 mg/l
<b>Sodium hydroxide (1310-73-2)</b>	
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> [static])
EC50 Daphnia 1	40 mg/l
<b>Hydrochloric acid (7647-01-0)</b>	
LC50 Fish 1	7.45 mg/l (Species: <i>Oncorhynchus mykiss</i> - Exposure time: 96h)
<b>Sodium azide (26628-22-8)</b>	
LC50 Fish 1	0.8 mg/l (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> )
LC50 Fish 2	0.7 mg/l (Exposure time: 96 h - Species: <i>Lepomis macrochirus</i> )

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ErC50 (Algae)	0.348 mg/l
<b>12.2. Persistence and Degradability</b>	
Urinalysis Proficiency Cap Formula 2, 7	
Persistence and Degradability	Not established.
<b>12.3. Bioaccumulative Potential</b>	
Urinalysis Proficiency Cap Formula 2, 7	
Bioaccumulative Potential	Not established.
<b>Sodium nitrite (7632-00-0)</b>	
Log Pow	-3.7 (at 25 °C)
<b>1H-Pyrrole (109-97-7)</b>	
Log Pow	0.75

**12.4. Mobility in Soil:** No additional information available

**12.5. Other Adverse Effects**

**Other Information** : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

**Sewage Disposal Recommendations:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

**14.1. In Accordance with DOT** Not regulated for transport

**14.2. In Accordance with IMDG** Not regulated for transport

**14.3. In Accordance with IATA** Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

<b>Phosphoric acid, potassium salt (1:1) (7778-77-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Sodium phosphate dibasic (7558-79-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>CERCLA RQ</b>	5000 lb
<b>Sodium tetraborate decahydrate (1303-96-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>5-Bromo-5-nitro-1,3-dioxane (30007-47-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Water (7732-18-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Monopotassium carbonate (298-14-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Potassium ferricyanide (13746-66-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Potassium cyanide (151-50-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on the United States SARA Section 302	
<b>CERCLA RQ</b>	10 lb
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	100 lb (This material is a reactive solid. The TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form)
<b>Hemoglobins (9008-02-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Sodium nitrite (7632-00-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Subject to reporting requirements of United States SARA Section 313	
<b>EPA TSCA Regulatory Flag</b>	S - S - indicates a substance that is identified in a proposed or final

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Significant New Uses Rule
<b>CERCLA RQ</b>	100 lb
<b>SARA Section 313 - Emission Reporting</b>	1.0 %
<b>Albumins, human (70024-90-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>1H-Pyrrole (109-97-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>C.I. Acid Yellow 23 (1934-21-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Sodium hydroxide (1310-73-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>CERCLA RQ</b>	1000 lb
<b>Hydrochloric acid (7647-01-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on the United States SARA Section 302	
Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	5000 lb
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	500 lb (gas only)
<b>SARA Section 313 - Emission Reporting</b>	1.0 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)
<b>Sodium azide (26628-22-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on the United States SARA Section 302	
Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	1000 lb
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	500 lb (This material is a reactive solid. The TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form)
<b>SARA Section 313 - Emission Reporting</b>	1.0 %
<b>Glucose (50-99-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>15.2. US State Regulations</b>	
<b>Sodium phosphate dibasic (7558-79-4)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Sodium tetraborate decahydrate (1303-96-4)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Potassium cyanide (151-50-8)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Sodium nitrite (7632-00-0)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>1H-Pyrrole (109-97-7)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Sodium hydroxide (1310-73-2)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	



# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## Hydrochloric acid (7647-01-0)

U.S. - Massachusetts - Right To Know List  
 U.S. - New Jersey - Right to Know Hazardous Substance List  
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
 U.S. - Pennsylvania - RTK (Right to Know) List

## Sodium azide (26628-22-8)

U.S. - Massachusetts - Right To Know List  
 U.S. - New Jersey - Right to Know Hazardous Substance List  
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
 U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 02/17/2017  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

### GHS Full Text Phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1
Acute Tox. 1 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral) Category 1
Acute Tox. 2 (Oral)	Acute toxicity (oral) Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Met. Corr. 1	Corrosive to metals Category 1
Ox. Sol. 2	Oxidizing solids Category 2
Repr. 1B	Reproductive toxicity Category 1B
Repr. 2	Reproductive toxicity Category 2
Resp. Sens. 1	Respiratory sensitisation Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
Skin Sens. 1B	Skin sensitization Category 1B
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H272	May intensify fire; oxidizer
H290	May be corrosive to metals
H300	Fatal if swallowed
H301	Toxic if swallowed
H302	Harmful if swallowed
H310	Fatal in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H360	May damage fertility or the unborn child
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)

## SECTION 1: IDENTIFICATION

### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** Urinalysis Proficiency Cap Formula 3, 5, 6

### 1.2. Intended Use of the Product

**Use of the Substance/Mixture:** No use is specified.

### 1.3. Name, Address, and Telephone of Manufacturer/Supplier

Kova International, Inc.  
7272 Chapman Avenue, Suite B  
Garden Grove, CA 92841  
Tel: 1-714-902-1700  
Fax: 1-714-908-7945  
Business hours: (8:00 a.m. - 5:00 p.m., PST, Monday - Friday)

### 1.4. Emergency Telephone Number

**Emergency Number** : Contact your local Poison Center.

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

#### GHS-US Classification

Not classified

### 2.2. Label Elements

#### GHS-US Labeling

No labeling applicable

### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product Identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	93.6487 - 99.19525	Not classified
Sodium chloride	(CAS No) 7647-14-5	0.5 - 2	Not classified
Albumins, human	(CAS No) 70024-90-7	0.425 - 0.55	Comb. Dust
Hydrochloric acid*	(CAS No) 7647-01-0	0.05 - 0.201	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401
Phosphoric acid, potassium salt (1:1)	(CAS No) 7778-77-0	0.02 - 0.17	Not classified
Sodium hydroxide*	(CAS No) 1310-73-2	< 0.1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Esterase, carboxyl	(CAS No) 9016-18-6	0.071	Resp. Sens. 1, H334
Gonadotropin, chorionic	(CAS No) 9002-61-3	0.06	Repr. 2, H361
Sodium phosphate dibasic	(CAS No) 7558-79-4	0.04	Not classified
5-Bromo-5-nitro-1,3-dioxane	(CAS No) 30007-47-7	0.03	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Acute 3, H402 Aquatic Chronic 1, H410

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1H-Pyrrole	(CAS No) 109-97-7	0.005 - 0.01	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318
Sodium nitrite	(CAS No) 7632-00-0	0.003 - 0.00825	Ox. Sol. 2, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2A, H319 Aquatic Acute 1, H400
Monopotassium carbonate	(CAS No) 298-14-6	0.0002 - 0.0006	Not classified
Potassium ferricyanide	(CAS No) 13746-66-2	0.00004 - 0.00012	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Potassium cyanide	(CAS No) 151-50-8	0.00001 - 0.00003	Met. Corr. 1, H290 Acute Tox. 1 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 1 (Inhalation:gas), H330 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

\*Added to adjust pH, when necessary.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Rinse cautiously with water for several minutes. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

**First-aid Measures After Ingestion:** Rinse mouth. Do not induce vomiting. Call a POISON CENTER/doctor/physician if you feel unwell.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**Symptoms/Injuries:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None known.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapors from decomposition.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Thermal decomposition generates: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Sodium oxides. Phosphorus oxides. Potassium oxides. Hydrogen chloride. Cyanides.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Do not handle until all safety precautions have been read and understood. Handle in a manner to prevent any potential exposure. Follow appropriate administrative policies and procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, and spray.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Products:** Strong acids, strong bases, strong oxidizers. Reducing agents. Alkalis. Halogens. Metal salts. Water reactive materials.

### 7.3. Specific End Use(s)

No use is specified.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Potassium cyanide (151-50-8)		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (ppm)	4.7 ppm
USA IDLH	US IDLH (mg/m <sup>3</sup> )	25 mg/m <sup>3</sup>
Sodium hydroxide (1310-73-2)		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
Hydrochloric acid (7647-01-0)		
USA ACGIH	ACGIH Ceiling (ppm)	2 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	7 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (ppm)	5 ppm

<b>USA IDLH</b>	US IDLH (ppm)	50 ppm
<b>USA OSHA</b>	OSHA PEL (Ceiling) (mg/m <sup>3</sup> )	7 mg/m <sup>3</sup>
<b>USA OSHA</b>	OSHA PEL (Ceiling) (ppm)	5 ppm

## 8.2. Exposure Controls

### Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

### Personal Protective Equipment

: Not generally required. The use of personal protective equipment may be necessary as conditions warrant. Gloves. Protective clothing. Protective goggles.



### Materials for Protective Clothing

: Chemically resistant materials and fabrics.

### Hand Protection

: Wear protective gloves.

### Eye Protection

: Chemical safety goggles.

### Skin and Body Protection

: Wear suitable protective clothing. In laboratory, medical or industrial settings, impervious disposable gloves and protective clothing are recommended if skin contact with product is possible.

### Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

### Environmental Exposure Controls

: Avoid release to the environment.

### Other Information

: When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

### 9.2. Other Information: No additional information available

## SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Reducing agents. Alkalis. Halogens. Metal salts. Water reactive materials.
- 10.6. Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects

**Acute Toxicity:** Not classified

<b>Sodium phosphate dibasic (7558-79-4)</b>	
LD50 Oral Rat	17 g/kg
LD50 Dermal Rat	> 5000 mg/kg (50% solution)
<b>5-Bromo-5-nitro-1,3-dioxane (30007-47-7)</b>	
LD50 Oral Rat	455 mg/kg
<b>Monopotassium carbonate (298-14-6)</b>	
LD50 Oral Rat	> 2000 mg/kg bw/day
LD50 Dermal Rabbit	> 2000 mg/kg bw/day
<b>Potassium cyanide (151-50-8)</b>	
LD50 Oral Rat	7.49 mg/kg
LD50 Dermal Rabbit	22.3 mg/kg
LC50 Inhalation Rat	0.16 mg/l (Exposure time: 1 h)
LC50 Inhalation Rat	63 (52 - 79) ppm/1h
ATE (Oral)	0.50 mg/kg body weight
ATE (Gases)	31.50 ppmV/4h
ATE (Dust/Mist)	0.16 mg/l/4h
<b>Sodium nitrite (7632-00-0)</b>	
LD50 Oral Rat	85 mg/kg
LC50 Inhalation Rat	5.5 mg/l/4h
<b>1H-Pyrrole (109-97-7)</b>	
ATE (Oral)	100.00 mg/kg body weight
ATE (Dust/Mist)	1.50 mg/l/4h
<b>Sodium hydroxide (1310-73-2)</b>	
LD50 Dermal Rabbit	1350 mg/kg
<b>Hydrochloric acid (7647-01-0)</b>	
LD50 Dermal Rabbit	> 5010 mg/kg
<b>Sodium chloride (7647-14-5)</b>	
LD50 Oral Rat	3 g/kg
LC50 Inhalation Rat	> 42 g/m <sup>3</sup> (Exposure time: 1 h)

**Skin Corrosion/Irritation:** Not classified

**Serious Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

<b>Hydrochloric acid (7647-01-0)</b>	
IARC group	3

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General** : Not classified.

<b>5-Bromo-5-nitro-1,3-dioxane (30007-47-7)</b>	
LC50 Fish 1	37.5 mg/l 96 hr - Lepomis macrochirus (Bluegill sunfish)

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Potassium cyanide (151-50-8)</b>	
LC50 Fish 1	0.04 - 0.046 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
EC50 Daphnia 1	0.113 mg/l
LC50 Fish 2	0.044 - 0.084 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
<b>Sodium nitrite (7632-00-0)</b>	
LC50 Fish 1	0.19 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 Fish 2	0.092 - 0.13 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
<b>1H-Pyrrole (109-97-7)</b>	
LC50 Fish 1	197 - 224 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
<b>Sodium hydroxide (1310-73-2)</b>	
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	40 mg/l
<b>Hydrochloric acid (7647-01-0)</b>	
LC50 Fish 1	7.45 mg/l (Species: Oncorhynchus mykiss - Exposure time: 96h)
<b>Sodium chloride (7647-14-5)</b>	
LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

## 12.2. Persistence and Degradability

### Urinalysis Proficiency Cap Formula 3, 5, 6

Persistence and Degradability	Not established.
-------------------------------	------------------

## 12.3. Bioaccumulative Potential

### Urinalysis Proficiency Cap Formula 3, 5, 6

Bioaccumulative Potential	Not established.
---------------------------	------------------

### Sodium nitrite (7632-00-0)

Log Pow	-3.7 (at 25 °C)
---------	-----------------

### 1H-Pyrrole (109-97-7)

Log Pow	0.75
---------	------

### Sodium chloride (7647-14-5)

BCF Fish 1	(no bioaccumulation)
------------	----------------------

**12.4. Mobility in Soil:** No additional information available

## 12.5. Other Adverse Effects

**Other Information** : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

**14.1. In Accordance with DOT** Not regulated for transport

**14.2. In Accordance with IMDG** Not regulated for transport

**14.3. In Accordance with IATA** Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

#### Phosphoric acid, potassium salt (1:1) (7778-77-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Sodium phosphate dibasic (7558-79-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CERCLA RQ	5000 lb
-----------	---------



# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>5-Bromo-5-nitro-1,3-dioxane (30007-47-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Water (7732-18-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Monopotassium carbonate (298-14-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Potassium ferricyanide (13746-66-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Potassium cyanide (151-50-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on the United States SARA Section 302	
<b>CERCLA RQ</b>	10 lb
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	100 lb (This material is a reactive solid. The TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form)
<b>Sodium nitrite (7632-00-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Subject to reporting requirements of United States SARA Section 313	
<b>EPA TSCA Regulatory Flag</b>	S - S - indicates a substance that is identified in a proposed or final Significant New Uses Rule
<b>CERCLA RQ</b>	100 lb
<b>SARA Section 313 - Emission Reporting</b>	1.0 %
<b>Albumins, human (70024-90-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>1H-Pyrrole (109-97-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Sodium hydroxide (1310-73-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>CERCLA RQ</b>	1000 lb
<b>Hydrochloric acid (7647-01-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on the United States SARA Section 302	
Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	5000 lb
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	500 lb (gas only)
<b>SARA Section 313 - Emission Reporting</b>	1.0 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)
<b>Sodium chloride (7647-14-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Esterase, carboxyl (9016-18-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>EPA TSCA Regulatory Flag</b>	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C))
<b>15.2. US State Regulations</b>	
<b>Sodium phosphate dibasic (7558-79-4)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Potassium cyanide (151-50-8)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Sodium nitrite (7632-00-0)</b>	
U.S. - Massachusetts - Right To Know List	

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - New Jersey - Right to Know Hazardous Substance List  
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
 U.S. - Pennsylvania - RTK (Right to Know) List

## 1H-Pyrrole (109-97-7)

U.S. - Massachusetts - Right To Know List  
 U.S. - Pennsylvania - RTK (Right to Know) List

## Sodium hydroxide (1310-73-2)

U.S. - Massachusetts - Right To Know List  
 U.S. - New Jersey - Right to Know Hazardous Substance List  
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
 U.S. - Pennsylvania - RTK (Right to Know) List

## Hydrochloric acid (7647-01-0)

U.S. - Massachusetts - Right To Know List  
 U.S. - New Jersey - Right to Know Hazardous Substance List  
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
 U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 02/17/2017  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

### GHS Full Text Phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1
Acute Tox. 1 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral) Category 1
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Met. Corr. 1	Corrosive to metals Category 1
Ox. Sol. 2	Oxidizing solids Category 2
Repr. 2	Reproductive toxicity Category 2
Resp. Sens. 1	Respiratory sensitisation Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1B	Skin sensitization Category 1B
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H272	May intensify fire; oxidizer
H290	May be corrosive to metals
H300	Fatal if swallowed
H301	Toxic if swallowed
H302	Harmful if swallowed
H310	Fatal in contact with skin
H314	Causes severe skin burns and eye damage

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)

## SECTION 1: IDENTIFICATION

### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** Urinalysis Proficiency Cap Formula 9, 11

### 1.2. Intended Use of the Product

**Use of the Substance/Mixture:** No use is specified.

### 1.3. Name, Address, and Telephone of Manufacturer/Supplier

Kova International, Inc.  
7272 Chapman Avenue, Suite B  
Garden Grove, CA 92841  
Tel: 1-714-902-1700  
Fax: 1-714-908-7945  
Business hours: (8:00 a.m. - 5:00 p.m., PST, Monday - Friday)

### 1.4. Emergency Telephone Number

**Emergency Number** : Contact your local Poison Center.

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

#### GHS-US Classification

Aquatic Acute 3 H402

Full text of hazard classes and H-statements : see section 16

### 2.2. Label Elements

#### GHS-US Labeling

**Hazard Statements (GHS-US)** : H402 - Harmful to aquatic life.

**Precautionary Statements (GHS-US)** : P273 - Avoid release to the environment.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product Identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	92.475075 - 96.181125	Not classified
Sodium chloride	(CAS No) 7647-14-5	2 - 2.6	Not classified
Glucose	(CAS No) 50-99-7	1.6 - 2.45	Comb. Dust
Phosphoric acid, potassium salt (1:1)	(CAS No) 7778-77-0	0.02 - 0.883	Not classified
Albumins, human	(CAS No) 70024-90-7	0.05 - 0.55	Comb. Dust
Sodium phosphate dibasic	(CAS No) 7558-79-4	0.0312 - 0.4	Not classified
Sodium hydroxide*	(CAS No) 1310-73-2	< 0.1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Sodium azide	(CAS No) 26628-22-8	0.095	Acute Tox. 2 (Oral), H300 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Esterase, carboxyl	(CAS No) 9016-18-6	0.071	Resp. Sens. 1, H334
Gonadotropin, chorionic	(CAS No) 9002-61-3	0.06	Repr. 2, H361

Hydrochloric acid*	(CAS No) 7647-01-0	0.05	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401
5-Bromo-5-nitro-1,3-dioxane	(CAS No) 30007-47-7	0.03	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Acute 3, H402 Aquatic Chronic 1, H410
1H-Pyrrole	(CAS No) 109-97-7	0.0025 - 0.01	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318
Sodium nitrite	(CAS No) 7632-00-0	0.003 - 0.005	Ox. Sol. 2, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2A, H319 Aquatic Acute 1, H400
Hemoglobins	(CAS No) 9008-02-0	0.0008	Comb. Dust
Monopotassium carbonate	(CAS No) 298-14-6	0.0001 - 0.0003	Not classified
Potassium ferricyanide	(CAS No) 13746-66-2	0.00002 - 0.00006	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Potassium cyanide	(CAS No) 151-50-8	0.000005 - 0.000015	Met. Corr. 1, H290 Acute Tox. 1 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 1 (Inhalation:gas), H330 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

\* Added to adjust pH, as necessary.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Rinse cautiously with water for several minutes. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

**First-aid Measures After Ingestion:** Rinse mouth. Do not induce vomiting. Call a POISON CENTER/doctor/physician if you feel unwell.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**Symptoms/Injuries:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None known.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions. In the presence of metals, metal salts, or heavy metals, this product may form small amounts of explosive metal-azide compounds.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapors from decomposition.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Thermal decomposition generates: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Sodium oxides. Phosphorus oxides. Potassium oxides. Hydrogen chloride. Azide compounds. Cyanides.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Do not handle until all safety precautions have been read and understood. Handle in a manner to prevent any potential exposure. Follow appropriate administrative policies and procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, and spray.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Products:** Strong acids, strong bases, strong oxidizers. Acid anhydrides. Acid chlorides. Reducing agents. Alkalis. Halogens. Metal salts. Heavy metals. Water reactive materials.

### 7.3. Specific End Use(s)

No use is specified.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Potassium cyanide (151-50-8)		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		cutaneous route
<b>USA NIOSH</b>	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL (ceiling) (ppm)	4.7 ppm
<b>USA IDLH</b>	US IDLH (mg/m <sup>3</sup> )	25 mg/m <sup>3</sup>
<b>Sodium hydroxide (1310-73-2)</b>		
<b>USA ACGIH</b>	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>USA IDLH</b>	US IDLH (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>USA OSHA</b>	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Hydrochloric acid (7647-01-0)</b>		
<b>USA ACGIH</b>	ACGIH Ceiling (ppm)	2 ppm
<b>USA ACGIH</b>	ACGIH chemical category	Not Classifiable as a Human Carcinogen
<b>USA NIOSH</b>	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	7 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL (ceiling) (ppm)	5 ppm
<b>USA IDLH</b>	US IDLH (ppm)	50 ppm
<b>USA OSHA</b>	OSHA PEL (Ceiling) (mg/m <sup>3</sup> )	7 mg/m <sup>3</sup>
<b>USA OSHA</b>	OSHA PEL (Ceiling) (ppm)	5 ppm
<b>Sodium azide (26628-22-8)</b>		
<b>USA ACGIH</b>	ACGIH Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
<b>USA ACGIH</b>	ACGIH Ceiling (ppm)	0.11 ppm (vapor)
<b>USA ACGIH</b>	ACGIH chemical category	Not Classifiable as a Human Carcinogen
<b>USA NIOSH</b>	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL (ceiling) (ppm)	0.1 ppm

## 8.2. Exposure Controls

### Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

### Personal Protective Equipment

: Not generally required. The use of personal protective equipment may be necessary as conditions warrant. Gloves. Protective clothing. Protective goggles.



### Materials for Protective Clothing

: Chemically resistant materials and fabrics.

### Hand Protection

: Wear protective gloves.

### Eye Protection

: Chemical safety goggles.

### Skin and Body Protection

: Wear suitable protective clothing. In laboratory, medical or industrial settings, impervious disposable gloves and protective clothing are recommended if skin contact with product is possible.

### Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

### Environmental Exposure Controls

: Avoid release to the environment.

### Other Information

: When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available

Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

9.2. Other Information: No additional information available

## SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions. In the presence of metals, metal salts, or heavy metals, this product may form small amounts of explosive metal-azide compounds.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Acid anhydrides. Acid chlorides. Reducing agents. Alkalis. Halogens. Metal salts. Heavy metals. Water reactive materials.
- 10.6. Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects

Acute Toxicity: Not classified

<b>Sodium phosphate dibasic (7558-79-4)</b>	
LD50 Oral Rat	17 g/kg
LD50 Dermal Rat	> 5000 mg/kg (50% solution)
<b>5-Bromo-5-nitro-1,3-dioxane (30007-47-7)</b>	
LD50 Oral Rat	455 mg/kg
<b>Monopotassium carbonate (298-14-6)</b>	
LD50 Oral Rat	> 2000 mg/kg bw/day
LD50 Dermal Rabbit	> 2000 mg/kg bw/day
<b>Potassium cyanide (151-50-8)</b>	
LD50 Oral Rat	7.49 mg/kg
LD50 Dermal Rabbit	22.3 mg/kg
LC50 Inhalation Rat	0.16 mg/l (Exposure time: 1 h)
LC50 Inhalation Rat	63 (52 - 79) ppm/1h
ATE (Oral)	0.50 mg/kg body weight
ATE (Gases)	31.50 ppmV/4h
ATE (Dust/Mist)	0.16 mg/l/4h
<b>Sodium nitrite (7632-00-0)</b>	
LD50 Oral Rat	85 mg/kg
LC50 Inhalation Rat	5.5 mg/l/4h
<b>1H-Pyrrole (109-97-7)</b>	
ATE (Oral)	100.00 mg/kg body weight
ATE (Dust/Mist)	1.50 mg/l/4h
<b>Sodium hydroxide (1310-73-2)</b>	
LD50 Dermal Rabbit	1350 mg/kg
<b>Hydrochloric acid (7647-01-0)</b>	
LD50 Dermal Rabbit	> 5010 mg/kg
<b>Sodium azide (26628-22-8)</b>	
LD50 Oral Rat	27 mg/kg
<b>Glucose (50-99-7)</b>	
LD50 Oral Rat	25800 mg/kg
<b>Sodium chloride (7647-14-5)</b>	
LD50 Oral Rat	3 g/kg



<b>LC50 Inhalation Rat</b>	> 42 g/m <sup>3</sup> (Exposure time: 1 h)
<b>Skin Corrosion/Irritation:</b> Not classified	
<b>Serious Eye Damage/Irritation:</b> Not classified	
<b>Respiratory or Skin Sensitization:</b> Not classified	
<b>Germ Cell Mutagenicity:</b> Not classified	
<b>Carcinogenicity:</b> Not classified	

<b>Hydrochloric acid (7647-01-0)</b>	
<b>IARC group</b>	3
<b>Reproductive Toxicity:</b> Not classified.	
<b>Specific Target Organ Toxicity (Single Exposure):</b> Not classified	
<b>Specific Target Organ Toxicity (Repeated Exposure):</b> Not classified	
<b>Aspiration Hazard:</b> Not classified	
<b>Symptoms/Injuries After Inhalation:</b> Prolonged exposure may cause irritation. May cause an allergic reaction in sensitive individuals.	
<b>Symptoms/Injuries After Skin Contact:</b> Prolonged exposure may cause skin irritation. May cause an allergic reaction in sensitive individuals.	
<b>Symptoms/Injuries After Eye Contact:</b> May cause slight irritation to eyes.	
<b>Symptoms/Injuries After Ingestion:</b> Ingestion may cause adverse effects.	
<b>Chronic Symptoms:</b> None known.	

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecology - General : Harmful to aquatic life.

<b>5-Bromo-5-nitro-1,3-dioxane (30007-47-7)</b>	
<b>LC50 Fish 1</b>	37.5 mg/l 96 hr - Lepomis macrochirus (Bluegill sunfish)
<b>Potassium cyanide (151-50-8)</b>	
<b>LC50 Fish 1</b>	0.04 - 0.046 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
<b>EC50 Daphnia 1</b>	0.113 mg/l
<b>LC50 Fish 2</b>	0.044 - 0.084 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
<b>Sodium nitrite (7632-00-0)</b>	
<b>LC50 Fish 1</b>	0.19 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
<b>LC50 Fish 2</b>	0.092 - 0.13 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
<b>1H-Pyrrole (109-97-7)</b>	
<b>LC50 Fish 1</b>	197 - 224 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
<b>Sodium hydroxide (1310-73-2)</b>	
<b>LC50 Fish 1</b>	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
<b>EC50 Daphnia 1</b>	40 mg/l
<b>Hydrochloric acid (7647-01-0)</b>	
<b>LC50 Fish 1</b>	7.45 mg/l (Species: Oncorhynchus mykiss - Exposure time: 96h)
<b>Sodium azide (26628-22-8)</b>	
<b>LC50 Fish 1</b>	0.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
<b>LC50 Fish 2</b>	0.7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
<b>ErC50 (Algae)</b>	0.348 mg/l
<b>Sodium chloride (7647-14-5)</b>	
<b>LC50 Fish 1</b>	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
<b>EC50 Daphnia 1</b>	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
<b>LC50 Fish 2</b>	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
<b>EC50 Daphnia 2</b>	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

### 12.2. Persistence and Degradability

<b>Urinalysis Proficiency Cap Formula 9, 11</b>	
<b>Persistence and Degradability</b>	Not established.

### 12.3. Bioaccumulative Potential

<b>Urinalysis Proficiency Cap Formula 9, 11</b>	
<b>Bioaccumulative Potential</b>	Not established.

<b>Sodium nitrite (7632-00-0)</b>	
Log Pow	-3.7 (at 25 °C)
<b>1H-Pyrrole (109-97-7)</b>	
Log Pow	0.75
<b>Sodium chloride (7647-14-5)</b>	
BCF Fish 1	(no bioaccumulation)

- 12.4. Mobility in Soil:** No additional information available
- 12.5. Other Adverse Effects**
- Other Information** : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1. Waste Treatment Methods**
- Sewage Disposal Recommendations:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.
- Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.
- Ecology - Waste Materials:** Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT** Not regulated for transport
- 14.2. In Accordance with IMDG** Not regulated for transport
- 14.3. In Accordance with IATA** Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

<b>Phosphoric acid, potassium salt (1:1) (7778-77-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Sodium phosphate dibasic (7558-79-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
CERCLA RQ	5000 lb
<b>5-Bromo-5-nitro-1,3-dioxane (30007-47-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Water (7732-18-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Monopotassium carbonate (298-14-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Potassium ferricyanide (13746-66-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Potassium cyanide (151-50-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on the United States SARA Section 302	
CERCLA RQ	10 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	100 lb (This material is a reactive solid. The TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form)
<b>Hemoglobins (9008-02-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Sodium nitrite (7632-00-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Subject to reporting requirements of United States SARA Section 313	
EPA TSCA Regulatory Flag	S - S - indicates a substance that is identified in a proposed or final Significant New Uses Rule
CERCLA RQ	100 lb
SARA Section 313 - Emission Reporting	1.0 %
<b>Albumins, human (70024-90-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>1H-Pyrrole (109-97-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Sodium hydroxide (1310-73-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>CERCLA RQ</b>	1000 lb
<b>Hydrochloric acid (7647-01-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on the United States SARA Section 302	
Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	5000 lb
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	500 lb (gas only)
<b>SARA Section 313 - Emission Reporting</b>	1.0 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)
<b>Sodium azide (26628-22-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on the United States SARA Section 302	
Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	1000 lb
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	500 lb (This material is a reactive solid. The TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form)
<b>SARA Section 313 - Emission Reporting</b>	1.0 %
<b>Glucose (50-99-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Sodium chloride (7647-14-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Esterase, carboxyl (9016-18-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>EPA TSCA Regulatory Flag</b>	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C))

## 15.2. US State Regulations

<b>Sodium phosphate dibasic (7558-79-4)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Potassium cyanide (151-50-8)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Sodium nitrite (7632-00-0)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>1H-Pyrrole (109-97-7)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Sodium hydroxide (1310-73-2)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
<b>Hydrochloric acid (7647-01-0)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## Sodium azide (26628-22-8)

U.S. - Massachusetts - Right To Know List  
 U.S. - New Jersey - Right to Know Hazardous Substance List  
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
 U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 02/17/2017  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

### GHS Full Text Phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1
Acute Tox. 1 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral) Category 1
Acute Tox. 2 (Oral)	Acute toxicity (oral) Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Met. Corr. 1	Corrosive to metals Category 1
Ox. Sol. 2	Oxidizing solids Category 2
Repr. 2	Reproductive toxicity Category 2
Resp. Sens. 1	Respiratory sensitisation Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
Skin Sens. 1B	Skin sensitization Category 1B
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H272	May intensify fire; oxidizer
H290	May be corrosive to metals
H300	Fatal if swallowed
H301	Toxic if swallowed
H302	Harmful if swallowed
H310	Fatal in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)

## SECTION 1: IDENTIFICATION

### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** Urinalysis Proficiency Cap Formula 10

### 1.2. Intended Use of the Product

**Use of the Substance/Mixture:** No use is specified.

### 1.3. Name, Address, and Telephone of Manufacturer/Supplier

Kova International, Inc.

7272 Chapman Avenue, Suite B

Garden Grove, CA 92841

Tel: 1-714-902-1700

Fax: 1-714-908-7945

Business hours: (8:00 a.m. - 5:00 p.m., PST, Monday - Friday)

### 1.4. Emergency Telephone Number

**Emergency Number** : Contact your local Poison Center.

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

#### GHS-US Classification

Not classified

### 2.2. Label Elements

#### GHS-US Labeling

No labeling applicable

### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product Identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	97.143325 - 97.343325	Not classified
Sodium chloride	(CAS No) 7647-14-5	2	Not classified
Sodium phosphate dibasic	(CAS No) 7558-79-4	0.4	Not classified
Sodium hydroxide*	(CAS No) 1310-73-2	< 0.1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Hydrochloric acid*	(CAS No) 7647-01-0	< 0.1	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401
Esterase, carboxyl	(CAS No) 9016-18-6	0.071	Resp. Sens. 1, H334
Gonadotropin, chorionic	(CAS No) 9002-61-3	0.06	Repr. 2, H361
Albumins, human	(CAS No) 70024-90-7	0.05	Comb. Dust
5-Bromo-5-nitro-1,3-dioxane	(CAS No) 30007-47-7	0.03	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Acute 3, H402 Aquatic Chronic 1, H410
Phosphoric acid, potassium salt (1:1)	(CAS No) 7778-77-0	0.02	Not classified

Phenol, 4,4'-(3H-2,1-benzoxathiol-3-ylidene)bis[5-methyl-2-(1-methylethyl)-, S,S-dioxide, monosodium salt	(CAS No) 62625-21-2	0.008	Not classified
1H-Pyrrole	(CAS No) 109-97-7	0.0075	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318
Sodium nitrite	(CAS No) 7632-00-0	0.007	Ox. Sol. 2, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2A, H319 Aquatic Acute 1, H400
N-(1-Naphthyl)ethylenediamine dihydrochloride	(CAS No) 1465-25-4	0.002	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Hemoglobins	(CAS No) 9008-02-0	0.0008	Comb. Dust
Monopotassium carbonate	(CAS No) 298-14-6	0.0003	Not classified
Potassium ferricyanide	(CAS No) 13746-66-2	0.00006	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Potassium cyanide	(CAS No) 151-50-8	0.000015	Met. Corr. 1, H290 Acute Tox. 1 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 1 (Inhalation:gas), H330 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

\* Added to adjust pH, as needed.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Rinse cautiously with water for several minutes. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

**First-aid Measures After Ingestion:** Rinse mouth. Do not induce vomiting. Call a POISON CENTER/doctor/physician if you feel unwell.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**Symptoms/Injuries:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None known.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapors from decomposition.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Thermal decomposition generates: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Sodium oxides. Phosphorus oxides. Potassium oxides. Hydrogen chloride. Cyanides.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Do not handle until all safety precautions have been read and understood. Handle in a manner to prevent any potential exposure. Follow appropriate administrative policies and procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, and spray.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Products:** Strong acids, strong bases, strong oxidizers. Acid anhydrides. Acid chlorides. Reducing agents. Alkalis. Halogens. Metal salts. Water reactive materials.

### 7.3. Specific End Use(s)

No use is specified.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Potassium cyanide (151-50-8)		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (ppm)	4.7 ppm
USA IDLH	US IDLH (mg/m <sup>3</sup> )	25 mg/m <sup>3</sup>
Sodium hydroxide (1310-73-2)		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>



<b>USA IDLH</b>	US IDLH (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>USA OSHA</b>	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Hydrochloric acid (7647-01-0)</b>		
<b>USA ACGIH</b>	ACGIH Ceiling (ppm)	2 ppm
<b>USA ACGIH</b>	ACGIH chemical category	Not Classifiable as a Human Carcinogen
<b>USA NIOSH</b>	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	7 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL (ceiling) (ppm)	5 ppm
<b>USA IDLH</b>	US IDLH (ppm)	50 ppm
<b>USA OSHA</b>	OSHA PEL (Ceiling) (mg/m <sup>3</sup> )	7 mg/m <sup>3</sup>
<b>USA OSHA</b>	OSHA PEL (Ceiling) (ppm)	5 ppm

## 8.2. Exposure Controls

### Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

### Personal Protective Equipment

: Not generally required. The use of personal protective equipment may be necessary as conditions warrant. Gloves. Protective clothing. Protective goggles.



### Materials for Protective Clothing

: Chemically resistant materials and fabrics.

### Hand Protection

: Wear protective gloves.

### Eye Protection

: Chemical safety goggles.

### Skin and Body Protection

: Wear suitable protective clothing. In laboratory, medical or industrial settings, impervious disposable gloves and protective clothing are recommended if skin contact with product is possible.

### Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

### Environmental Exposure Controls

: Avoid release to the environment.

### Other Information

: When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

### 9.2. Other Information: No additional information available

## SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.

- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Acid anhydrides. Acid chlorides. Reducing agents. Alkalis. Halogens. Metal salts. Water reactive materials.
- 10.6. Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects

**Acute Toxicity:** Not classified

<b>Sodium phosphate dibasic (7558-79-4)</b>	
LD50 Oral Rat	17 g/kg
LD50 Dermal Rat	> 5000 mg/kg (50% solution)
<b>5-Bromo-5-nitro-1,3-dioxane (30007-47-7)</b>	
LD50 Oral Rat	455 mg/kg
<b>Monopotassium carbonate (298-14-6)</b>	
LD50 Oral Rat	> 2000 mg/kg bw/day
LD50 Dermal Rabbit	> 2000 mg/kg bw/day
<b>Potassium cyanide (151-50-8)</b>	
LD50 Oral Rat	7.49 mg/kg
LD50 Dermal Rabbit	22.3 mg/kg
LC50 Inhalation Rat	0.16 mg/l (Exposure time: 1 h)
LC50 Inhalation Rat	63 (52 - 79) ppm/1h
ATE (Oral)	0.50 mg/kg body weight
ATE (Gases)	31.50 ppmV/4h
ATE (Dust/Mist)	0.16 mg/l/4h
<b>Sodium nitrite (7632-00-0)</b>	
LD50 Oral Rat	85 mg/kg
LC50 Inhalation Rat	5.5 mg/l/4h
<b>1H-Pyrrole (109-97-7)</b>	
ATE (Oral)	100.00 mg/kg body weight
ATE (Dust/Mist)	1.50 mg/l/4h
<b>Sodium hydroxide (1310-73-2)</b>	
LD50 Dermal Rabbit	1350 mg/kg
<b>Hydrochloric acid (7647-01-0)</b>	
LD50 Dermal Rabbit	> 5010 mg/kg
<b>Sodium chloride (7647-14-5)</b>	
LD50 Oral Rat	3 g/kg
LC50 Inhalation Rat	> 42 g/m <sup>3</sup> (Exposure time: 1 h)

**Skin Corrosion/Irritation:** Not classified

**Serious Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

<b>Hydrochloric acid (7647-01-0)</b>	
IARC group	3

**Reproductive Toxicity:** Not classified.

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General** : Not classified.

<b>5-Bromo-5-nitro-1,3-dioxane (30007-47-7)</b>	
LC50 Fish 1	37.5 mg/l 96 hr - Lepomis macrochirus (Bluegill sunfish)
<b>Potassium cyanide (151-50-8)</b>	
LC50 Fish 1	0.04 - 0.046 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
EC50 Daphnia 1	0.113 mg/l
LC50 Fish 2	0.044 - 0.084 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
<b>Sodium nitrite (7632-00-0)</b>	
LC50 Fish 1	0.19 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 Fish 2	0.092 - 0.13 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
<b>1H-Pyrrole (109-97-7)</b>	
LC50 Fish 1	197 - 224 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
<b>Sodium hydroxide (1310-73-2)</b>	
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	40 mg/l
<b>Hydrochloric acid (7647-01-0)</b>	
LC50 Fish 1	7.45 mg/l (Species: Oncorhynchus mykiss - Exposure time: 96h)
<b>Sodium chloride (7647-14-5)</b>	
LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

### 12.2. Persistence and Degradability

<b>Urinalysis Proficiency Cap Formula 10</b>	
<b>Persistence and Degradability</b>	Not established.

### 12.3. Bioaccumulative Potential

<b>Urinalysis Proficiency Cap Formula 10</b>	
<b>Bioaccumulative Potential</b>	Not established.
<b>Sodium nitrite (7632-00-0)</b>	
<b>Log Pow</b>	-3.7 (at 25 °C)
<b>1H-Pyrrole (109-97-7)</b>	
<b>Log Pow</b>	0.75
<b>Sodium chloride (7647-14-5)</b>	
<b>BCF Fish 1</b>	(no bioaccumulation)

**12.4. Mobility in Soil:** No additional information available

### 12.5. Other Adverse Effects

**Other Information** : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

<b>Phosphoric acid, potassium salt (1:1) (7778-77-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Sodium phosphate dibasic (7558-79-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>CERCLA RQ</b>	5000 lb
<b>5-Bromo-5-nitro-1,3-dioxane (30007-47-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Water (7732-18-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Monopotassium carbonate (298-14-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Potassium ferricyanide (13746-66-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Potassium cyanide (151-50-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on the United States SARA Section 302	
<b>CERCLA RQ</b>	10 lb
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	100 lb (This material is a reactive solid. The TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form)
<b>Hemoglobins (9008-02-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Sodium nitrite (7632-00-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Subject to reporting requirements of United States SARA Section 313	
<b>EPA TSCA Regulatory Flag</b>	S - S - indicates a substance that is identified in a proposed or final Significant New Uses Rule
<b>CERCLA RQ</b>	100 lb
<b>SARA Section 313 - Emission Reporting</b>	1.0 %
<b>Albumins, human (70024-90-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>1H-Pyrrole (109-97-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Sodium hydroxide (1310-73-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>CERCLA RQ</b>	1000 lb
<b>Hydrochloric acid (7647-01-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on the United States SARA Section 302	
Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	5000 lb
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	500 lb (gas only)
<b>SARA Section 313 - Emission Reporting</b>	1.0 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)
<b>Sodium chloride (7647-14-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>N-(1-Naphthyl)ethylenediamine dihydrochloride (1465-25-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Phenol, 4,4'-(3H-2,1-benzoxathiol-3-ylidene)bis[5-methyl-2-(1-methylethyl)-, S,S-dioxide, monosodium salt (62625-21-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Esterase, carboxyl (9016-18-6)</b>	

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>EPA TSCA Regulatory Flag</b>	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C))

## 15.2. US State Regulations

### Sodium phosphate dibasic (7558-79-4)

U.S. - Massachusetts - Right To Know List  
 U.S. - New Jersey - Right to Know Hazardous Substance List  
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
 U.S. - Pennsylvania - RTK (Right to Know) List

### Potassium cyanide (151-50-8)

U.S. - Massachusetts - Right To Know List  
 U.S. - New Jersey - Right to Know Hazardous Substance List  
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
 U.S. - Pennsylvania - RTK (Right to Know) List

### Sodium nitrite (7632-00-0)

U.S. - Massachusetts - Right To Know List  
 U.S. - New Jersey - Right to Know Hazardous Substance List  
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
 U.S. - Pennsylvania - RTK (Right to Know) List

### 1H-Pyrrole (109-97-7)

U.S. - Massachusetts - Right To Know List  
 U.S. - Pennsylvania - RTK (Right to Know) List

### Sodium hydroxide (1310-73-2)

U.S. - Massachusetts - Right To Know List  
 U.S. - New Jersey - Right to Know Hazardous Substance List  
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
 U.S. - Pennsylvania - RTK (Right to Know) List

### Hydrochloric acid (7647-01-0)

U.S. - Massachusetts - Right To Know List  
 U.S. - New Jersey - Right to Know Hazardous Substance List  
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
 U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 02/17/2017  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

### GHS Full Text Phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1
Acute Tox. 1 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral) Category 1
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Met. Corr. 1	Corrosive to metals Category 1
Ox. Sol. 2	Oxidizing solids Category 2
Repr. 2	Reproductive toxicity Category 2

# Urinalysis Proficiency Survey

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Resp. Sens. 1	Respiratory sensitisation Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1B	Skin sensitization Category 1B
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H272	May intensify fire; oxidizer
H290	May be corrosive to metals
H300	Fatal if swallowed
H301	Toxic if swallowed
H302	Harmful if swallowed
H310	Fatal in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)